

CUBUS F

CONTEC
GASTRO



**CONFECTIONERY
PRODUCTS**



DELICACIES



SALADS



SMOKED MEAT



**BAGUETTE
SANDWICHES**



**PACKAGED
FOOD**



**UNPACKAGED
FOOD**



The refrigerated display cabinet is self-contained and is not only an interesting interior element, but also an ideal solution for storing and presenting fresh food. Thanks to the subtle stainless steel construction, the displayed goods stand out perfectly.

DOUBLE GLAZING

reduce energy consumption, reduce condensate formation, which contributes to better visibility of presented products

SOPHISTICATED COOLING SYSTEM

thanks to the air circulation technology, it keeps all presented products fresh and dry for a long time

LED LIGHTING OF INDIVIDUAL SHELVES

ensures visibility of the products on display

EASY ACCESS TO THE DISPLAY CASE

trouble-free maintenance and easy operation

USE OF ENVIRONMENTALLY FRIENDLY REFRIGERANTS

guarantees higher energy efficiency of cooling systems. It significantly reduces the burden on the environment and ensures lower electricity consumption.

Designed for:

- cafés
- patisseries
- bakeries
- food outlets
- delicatessen
- grocery stores
- fast food restaurants
- bistros, corporate, school or hospital canteens
- restaurants
- and more



Service variant,
operator's view



Self-service option,
customer's view

CUBUS F

CONTEG
GASTRO



**CONFECTIONERY
PRODUCTS**



DELICACIES



SALADS



SMOKED MEAT



**BAGUETTE
SANDWICHES**



**PACKAGED
FOOD**



**UNPACKAGED
FOOD**

Code	Number of shelves	Type of sale	Number of doors	W x D x H (mm)	Power/voltage
CU080711FF	1	Service	—	800 x 700 x 1120	400 W/230 V
CU100711FF	1	Service	—	1000 x 700 x 1120	400 W/230 V
CU120711FF	1	Service	—	1200 x 700 x 1120	560 W/230 V
CU080713FF	2	Service	—	800 x 700 x 1350	400 W/230 V
CU100713FF	2	Service	—	1000 x 700 x 1350	400 W/230 V
CU120713FF	2	Service	—	1200 x 700 x 1350	560 W/230 V
CU140713FF	2	Service	—	1400 x 700 x 1350	620 W/230 V
CU160713FF	2	Service	—	1600 x 700 x 1350	720 W/230 V
CU080715FF	3	Service	—	800 x 700 x 1550	400 W/230 V
CU100715FF	3	Service	—	1000 x 700 x 1550	400 W/230 V
CU120715FF	3	Service	—	1200 x 700 x 1550	560 W/230 V
CU080713FFR2F	2	Self-service	2 x 3	800 x 700 x 1350	400 W/230 V
CU100713FFR2G	2	Self-service	3 x 3	1000 x 700 x 1350	400 W/230 V
CU120713FFR2G	2	Self-service	3 x 3	1200 x 700 x 1350	560 W/230 V
CU140713FFR2H	2	Self-service	4 x 3	1400 x 700 x 1350	620 W/230 V

Other dimensions and variants not listed here are available on request from your sales representative.

Technical description

- all stainless steel construction
- sliding glass door with stainless steel continuous handles and double insulated glass
- in the self-service version, the hinged door is on the customer's side
- LED lighting, positioned horizontally above all exhibition areas, ensures ideal illumination at all levels
- stainless steel bottom - additional space for product presentation, removable for easy cleaning of the evaporator compartment
- dynamic cooling (with different number of fans depending on the type of display case) with a large evaporator located at the bottom ensures very efficient circulation of cooled air
- R290 refrigerant
- the base is open at the side and front, suitable for possible further interior design

Standard equipment

- digital thermostat with temperature control from +4 °C
- automatic defrost
- digital temperature display
- ON/OFF switch
- LED lighting
- 6 mm thick tempered glass shelves with polished edges
- double glass walls and ceiling for excellent insulation properties




tel.: +420 602 386 569
e-mail: sales@conteg-gastro.cz
www.conteg-gastro.cz

CUBUS F

CONTEG
GASTRO

ONE SHELF

CONSTRUCTION DRAWING






CUBUS F

CONTEG
GASTRO

TWO SHELVES

CONSTRUCTION DRAWING



CUBUS F

CONTEG
GASTRO

THREE SHELVES

CONSTRUCTION DRAWING

